


**CILINDRI
CYLINDERS**

1.000.0

**ENOTE ZA VODENJE
GUIDE UNITS**

2.000.0

**PRIJEMALA
GRIPPERS**

3.000.0

**VENTILI
VALVES**

4.000.0

**PRIPRAVA ZRAKA
AIR PREPARATION**


5.000.0

**PRIBOR
ACCESSORIES**

6.000.0

RAVNI PRIKLJUČKI ZA NAVOJEM / STRAIGHT CONNECTORS WITH THREAD


Navoj Thread	Cev Tube	Tip Type	Tip Type	Tip Type	Tip Type	Tip Type
M3	3/2	/	PQSM33	/	/	/
M5	4/2,5	/	PQSM54	/	/	/
	6/4	/	PQSM56	/	/	CKM546
G1/8	4/2,5	PQS184	PQSM184	KQS184	PQS184 I	/
	6/4	PQS186	PQSM186	KQS186	PQS186 I	CK1846
	8/6	PQS188	/	KQS188	PQS188 I	CK1868
	6/4	PQS146	/	KQS146	PQS146 I	CK1446
	8/6	PQS148	/	KQS148	PQS148 I	CK1468
G1/4	10/8	PQS1410	/	KQS1410	PQS1410 I	CK14810
	12/910	PQS1412	/	KQS1412	/	/
	8/6	PQS388	/	KQS388	/	CK3868
G3/8	10/8	PQS3810	/	KQS3810	/	CK38810
	12/910	PQS3812	/	KQS3812	/	CK381012
	8/6	/	/	/	/	CK1268
G1/2	10/8	PQS1210	/	KQS1210	/	CK12810
	12/910	PQS1212	/	KQS1212	/	CK121012
	16/12	PQS1612	/	/	/	/


PREGRADNI PRIKLJUČKI / BARRIER CONNECTORS


Cev Tube	D mm	G	D1 mm	Tip Type	Tip Type	Tip Type	Tip Type	Tip Type
4/2,5	12	G1/8	/	PQSSF184	KQSSF184	PQSS40	KQSS40	/
6/4	14	G1/8	10	PQSSF186	KQSSF186	PQSS60	KQSS60	SCK46
	14	G1/4	/	PQSSF146	KQSSF146	/	/	/
8/6	16	G1/8	12	PQSSF188	KQSSF188	PQSS80	KQSS80	SCK68
	16	G1/4	/	PQSSF148	KQSSF148	/	/	/
	16	G3/8	/	PQSSF388	KQSSF388	/	/	/
10/8	20	G1/4	14	PQSSF1410	KQSSF1410	PQSS100	KQSS100	SCK810
	20	G3/8	/	PQSSF3810	KQSSF3810	/	/	/
12/910	22	G3/8	/	PQSSF3812	KQSSF3812	PQSS120	KQSS120	SCK1012
	22	G1/2	16	PQSSF1212	KQSSF1212	/	/	/




Za obširnejši seznam priključkov glej katalog "UNI-AIR Priključki"
For more available fittings please look at the catalogue "UNI-AIR Fittings"

RAVNI SPOJNI PRIKLJUČKI / STRAIGHT CONNECTORS




Tip Type	Tip Type	Tip Type	Tip Type	C	C1
PQS30	/	/	/	3	/
PQS40	/	/	/	4	/
PQS60	PQSR64	KQS60	KQSR64	6	4
PQS80	PQSR86	KQS80	KQSR86	8	6
PQS100	PQSR108	KQS100	KQSR108	10	8
PQS120	PQSR1210	KQS120	/	12	10
PQS160	PQSR1612	/	/	16	12

PRIKLJUČKI Z NOTRANJIM NAVOJEM / CONNECTORS WITH INTERIOR THREAD



Tip Type	Tip Type	Tip Type	Cev Tube	Navoj Thread
PQSF184	KQSF184	/	4/2,5	G1/8
PQSF186	KQSF186	ACK1846	6/4	
PQSF188	KQSF188	ACK1868	8/6	
PQSF144	/	/	4/2,5	G1/4
PQSF146	KQSF146	ACK1446	6/4	
PQSF148	KQSF148	ACK1468	8/6	
PQSF1410	KQSF1410	ACK14810	10/8	
PQSF1412	/	/	12/910	G3/8
PQSF388	/	ACK3868	8/6	
PQSF3810	KQSF3810	ACK38810	10/8	
PQSF3812	/	ACK381012	12/910	G1/2
/	/	ACK1268	8/6	
/	/	ACK12810	10/8	
PQSF1212	/	ACK121012	12/910	

RAVNI REDUCIRNI PRIKLJUČKI / STRAIGHT REDUCING CONNECTORS



Tip Type	Tip Type	C	C1
KQSH64	PQS60H40	6	4
KQSH86	PQS80H60	8	6
KQSH108	PQS100H80	10	8
KQSH1210	PQS120H100	12	10



Za obširnejši seznam priključkov glej katalog "UNI-AIR Priključki"

For more available fittings please look at the catalogue "UNI-AIR Fittings"

KOTNI PRIKLJUČKI Z NAVOJEM / ANGULAR CONNECTORS WITH THREAD


Navoj Thread	Cev Tube	Tip Type	Tip Type	Tip Type	Tip Type	Tip Type
M3	3/2	/	/	PQSMLM33	PQSMLLM33	/
	3/2	/	/	PQSMLM53	PQSMLLM53	/
M5	4/2,5	/	/	PQSMLM54	PQSMLLM54	PQSLVM54
	6/4	/	/	PQSMLM56	PQSMLLM56	PQSLVM56
G1/8	4/2,5	PQSL184	PQSLL184	PQSML184	PQSMLL184	PQSLV184
	6/4	PQSL186	PQSLL186	PQSML186	PQSMLL186	PQSLV186
	8/6	PQSL188	PQSLL188	/	/	PQSLV188
G1/4	6/4	PQSL146	PQSLL146	/	/	PQSLV146
	8/6	PQSL148	PQSLL148	/	/	PQSLV148
	10/8	PQSL1410	PQSLL1410	/	/	PQSLV1410
	12/910	PQSL1412	PQSLL1412	/	/	/
G3/8	8/6	PQSL388	PQSLL388	/	/	PQSLV388
	10/8	PQSL3810	PQSLL3810	/	/	PQSLV3810
	12/910	PQSL3812	PQSLL3812	/	/	PQSLV3812
G1/2	10/8	PQSL1210	PQSLL1210	/	/	PQSLV1210
	12/910	PQSL1212	PQSLL1212	/	/	PQSLV1212
	16/12	PQSL1216	/	/	/	/

KOTNI PRIKLJUČKI Z NAVOJEM / ANGULAR CONNECTORS WITH THREAD


Navoj Thread	Cev Tube	Tip Type	Tip Type	Tip Type	Tip Type	Tip Type
M5	4/2,5	KQSLM54	/	KQSLVM54	/	/
	6/4	KQSLM56	/	KQSLVM56	LCKM546	/
G1/8	4/2,5	KQSL184	KQSLL184	KQSLV184	/	/
	6/4	KQSL186	KQSLL186	KQSLV186	LCK1846	GCK1846
	8/6	KQSL188	KQSLL188	KQSLV188	LCK1868	GCK1868
G1/4	6/4	KQSL146	KQSLL146	KQSLV146	LCK1446	GCK1446
	8/6	KQSL148	KQSLL148	KQSLV148	LCK1468	GCK1468
	10/8	KQSL1410	/	KQSLV1410	LCK14810	GCK14810
	8/6	/	/	/	LCK3868	GCK3868
G3/8	10/8	KQSL3810	/	KQSLV3810	LCK38810	GCK38810
	12/910	KQSL3812	/	KQSLV3812	LCK381012	GCK381012
G1/2	10/8	/	/	/	LCK12810	GCK12810
	12/910	KQSL1212	/	KQSLV1212	LCK121012	GCK121012

OPOMBA : Konusni navoj
NOTE: Conical thread




Za obširnejši seznam priključkov glej katalog "UNI-AIR Priključki"
For more available fittings please look at the catalogue "UNI-AIR Fittings"

KOTNI PRIKLJUČKI / ANGULAR CONNECTORS



Tip Type	Tip Type	Tip Type	Tip Type	D	Cev Tube
/	PQSML30	KQSL30	/	3	3
PQSL40	PQSML40	KQSL40	PQSL40H	4	4
PQSL60	PQSML60	KQSL60	PQSL60H	6	6
PQSL80	/	KQSL80	PQSL80H	8	8
PQSL100	/	KQSL100	PQSL100H	10	10
PQSL120	/	KQSL120	PQSL120H	12	12
PQSL160	/	/	/	/	16

T PRIKLJUČKI / T CONNECTORS



Tip Type	Tip Type	Tip Type	Tip Type	Tip Type	C1	Cev Tube
/	/	KQST30	PQSMT30	/	/	3/2
/	/	KQST40	PQSMT40	/	/	4/2,5
PQST60	PQSTR64	KQST60	PQSMT60	FCK46	4	6/4
PQST80	PQSTR86	KQST80	/	FCK68	6	8/6
PQST100	PQSTR108	KQST100	/	FCK810	8	10/8
PQST120	PQSTR1210	KQST120	/	/	10	12/910
PQST160	/	/	/	/	/	16/12

T PRIKLJUČKI Z NAVOJEM / T CONNECTORS WITH THREAD



Tip Type	Tip Type	Tip Type	Tip Type	Cev Tube	Navoj Thread
PQSTL184	KQSTL184	PQSTE184	KQSTE184	4/2,5	G1/8
PQSTL186	KQSTL186	PQSTE186	KQSTE186	6/4	
PQSTL188	KQSTL188	PQSTE188	KQSTE188	8/6	
PQSTL146	KQSTL146	PQSTE146	KQSTE146	6/4	G1/4
PQSTL148	KQSTL148	PQSTE148	KQSTE148	8/6	
PQSTL1410	KQSTL1410	PQSTE1410	KQSTE1410	10/8	
PQSTL1412	/	PQSTE1412	/	12/910	
PQSTL388	/	PQSTE388	/	8/6	G3/8
PQSTL3810	KQSTL3810	PQSTE3810	KQSTE3810	10/8	
PQSTL3812	KQSTL3812	PQSTE3812	KQSTE3812	12/910	
PQSTL1210	/	PQSTE1210	/	10/8	G1/2
PQSTL1212	KQSTL1212	PQSTE1212	KQSTE1212	12/910	

Y - PRIKLJUČKI / Y - CONNECTORS

PQSYE



PQSY



PQSYR

C1



Navoj Thread	Cev Tube	C1	Tip Type	Tip Type	Tip Type
G1/8	4	/	/	/	/
	6	/	PQSY186	/	/
	8	/	PQSY188	/	/
G1/4	4	/	/	PQSY40	/
	6	4	PQSY146	PQSY60	PQSYR64
	8	6	PQSY148	PQSY80	PQSYR86
	10	8	PQSY1410	PQSY100	PQSYR108
	12	10	/	PQSY120	PQSYR1210
G3/8	6	/	/	/	/
	8	/	PQSY388	/	/
	10	/	PQSY3810	/	/
	12	/	PQSY3812	/	/
G1/2	10	/	PQSY1210	/	/
	12	/	PQSY1212	/	/

X - PRIKLJUČKI / X - CONNECTORS

PQSX



Cev Tube	Tip Type
4/2,5	PQSX40
6/4	PQSX60
8/6	PQSX80
10/8	PQSX100
12/910	PQSX120

ČEP / CAP

PQSCH




C

C	Tip Type
4	PQSC40H
6	PQSC60H
8	PQSC80H
10	PQSC100H
12	PQSC120H




Za obširnejši seznam priključkov glej katalog "UNI-AIR Priključki"
For more available fittings please look at the catalogue "UNI-AIR Fittings"

ELEMENTI NAPELJAVE Z NAVOJEM / FITTINGS WITH THREAD



Tip Type	Tip Type	Tip Type	Tip Type	Tip Type	Navoj Thread	G
/	DLM5	/	QMM5	BM5	M5	M5
/	DLM518	/	/	/	M5	G1/8
/	/	DM518	/	/	G1/8	M5
LD18	DL18	/	QM18	B18	G1/8	G1/8
/	DL1814	/	/	/	G1/8	G1/4
/	/	D1814	/	/	G1/4	G1/8
LD14	DL14	/	QM14	B14	G1/4	G1/4
/	DL1438	/	/	/	G1/4	G3/8
/	DL1412	/	/	/	G1/4	G1/2
/	/	D1838	/	/	G3/8	G1/8
/	/	D1438	/	/	G3/8	G1/4
LD38	DL38	/	QM38	B38	G3/8	G3/8
/	DL3812	/	/	/	G3/8	G1/2
/	/	D1412	/	/	G1/2	G1/4
/	/	D3812	/	/	G1/2	G3/8
LD12	DL12	/	QM12	B12	G1/2	G1/2
/	DL1234	/	/	/	G1/2	G3/4
LD34	/	/	QM34	B34	G3/4	G3/4
/	/	D1234	/	/	G3/4	G1/2
LD1	/	/	QM1	/	1"	1"
/	/	D121	/	/	1"	G1/2
/	/	D341	/	/	1"	G3/4

ELEMENTI NAPELJAVE Z NAVOJEM / FITTINGS WITH THREAD



Tip Type	Tip Type	Tip Type	Tip Type	Tip Type	Navoj Thread
T18i	TE18	TL18	L18	L18ai	G1/8
T14i	TE14	TL14	L14	L14ai	G1/4
T38i	TE38	TL38	L38	L38ai	G3/8
T12i	TE12	TL12	L12	L12ai	G1/2


OPOMBA : Konusni zunanji navoj

NOTE: Conical external thread



Za obširnejši seznam priključkov glej katalog "UNI-AIR Priključki"
For more available fittings please look at the catalogue "UNI-AIR Fittings"

ELEMENTI NAPELJAVE Z NAVOJEM / FITTINGS WITH THREAD






Navoj Thread	D	G	Tip Type	Tip Type	Tip Type
M5	3	G1/8	NM53	EM518	EM5
	4	/	NM54	/	/
G1/8	4	G1/4	N184	E1814	E18
	6	G3/8	N186	E1838	/
	9	/	N189	/	/
G1/4	4	G3/8	N144	E1438	E14
	6	G1/2	N146	E1412	/
	9	/	N149	/	/
G3/8	6	G1/2	N386	E3812	E38
	9	G3/4	N389	/	/
	13	/	N3813	/	/
G1/2	9	G3/4	N129	E1234	E12
	13	1"	N1213	E121	/
G3/4	13	1"	N3413	E341	E34
	16	/	N3416	/	/
	19	/	N3419	/	/
1"	25	/	N125	/	E1

ELEMENTI NAPELJAVE Z NAVOJEM / FITTINGS WITH THREAD



Navoj Thread	Tip Type	Tip Type	Tip Type	D	Tip Type	Tip Type
G1/8	G18	LK18I	LKQS18	4/6/8	VT182	VT183
G1/4	G14	LK14I	LKQS14	6/8/10	VT142	VT143


PRIKLJUČNE LETVE / DISTRIBUTION MANIFOLDS



G	Tip Type	D	L1	L2	L3	L4	L5	L6	L7	L8
1/8	FR418	4,4	56	46	12	20	20	13,5	17	11,6
1/4	FR414	6,4	89	74	16	30	30	20	29	17
3/8	FR438	6,4	85	72	25	32	26	20	26	19
1/2	FR412	6,4	105	90	24	40	30	25	32	23

G	Tip Type	D	L1	L2	L3
1/8	VB18	4,5	25	15	4,3
1/4	VB14	5,5	40	20	6,5
3/8	VB38	5,5	50	25	7,5
1/2	VB12	5,5	50	30	7,5

DUŠILCI ZVOKA / SILENCERS



Tip Type	Tip Type	Tip Type	Tip Type	Navoj Thread
SDM5	/	/	/	M5
SD18	SDD18	SDK18	RSW18	G1/8
SD14	SDD14	SDK14	RSW14	G1/4
SD38	SDD38	SDK38	RSW38	G3/8
SD12	SDD12	SDK12	RSW12	G1/2
SD34	SDD34	SDK34	/	G3/4
SD1	/	/	/	1"


VRTLJIVI PRIKLJUČKI / ROTATIONAL FITTINGS

GF



VRTLJIV PRIKLJUČEK TIP GF
ROTATIONAL FITTING TYPE GF

Max. tlak / Max. Pressure:.....8 bar
Št. vrtljajev / Rpm:.....350 n/min
Temperatura / Working temperature:.....max. 60° C



D	Tip Type	SW
1/4	GF14	17
3/8	GF38	19

REGULATOR TLAKA / PRESSURE REGULATOR



DR

DRai



PRECIZNI REGULATOR TLAKA TIP DR
PRECISION PRESSURE REGULATOR TYPE DR

Max. tlak / Max. Pressure:.....10 bar
Območje regulacije / Regulation range:.....1-8 bar
Temperatura / Working temperature:.....max. 60° C




Tip Type	G	D	G1	L1	L MAX.	CH
DR184	1/8	4	/	6	56	15
DR186	1/8	6	/	6	56	15
DR1818ai	1/8	/	1/8	6	56	15
DR146	1/4	6	/	8	63	17
DR148	1/4	8	/	8	63	17
DR1414ai	1/4	/	1/4	8	63	17



Za obširnejši seznam priključkov glej katalog "UNI-AIR Priključki"
For more available fittings please look at the catalogue "UNI-AIR Fittings"

DUŠILNI PRIKLJUČKI / SPEED CONTROLLERS




Navoj Thread	Cev Tube	Tip Type	Tip Type	Tip Type	Tip Type
M5	4/2,5	PGRLAM54	PGRLZM54	KGRLAM54	KGRLZM54
	6/4	PGRLAM56	PGRLZM56	KGRLAM56	KGRLZM56
G1/8	4/2,5	PGRLA184	PGRLZ184	KGRLA184	KGRLZ184
	6/4	PGRLA186	PGRLZ186	KGRLA186	KGRLZ186
	8/6	PGRLA188	PGRLZ188	KGRLA188	KGRLZ188
G1/4	6/4	PGRLA146	PGRLZ146	KGRLA146	KGRLZ146
	8/6	PGRLA148	PGRLZ148	KGRLA148	KGRLZ148
	10/8	PGRLA1410	PGRLZ1410	KGRLA1410	KGRLZ1410
G3/8	8/6	PGRLA388	PGRLZ388	KGRLA388	KGRLZ388
	10/8	PGRLA3810	PGRLZ3810	KGRLA3810	KGRLZ3810
	12/910	PGRLA3812	PGRLZ3812	/	/
G1/2	10/8	PGRLA1210	PGRLZ1210	/	/
	12/910	PGRLA1212	PGRLZ1212	/	/

DUŠILNI PRIKLJUČKI / SPEED CONTROLLERS



Cev Tube	Tip Type
4/2,5	QSDRV4
6/4	QSDRV6
8/6	QSDRV8
10/8	QSDRV10
12/910	QSDRV12

DUŠILNI PRIKLJUČKI / SPEED CONTROLLERS




Navoj Thread	Tip Type	Tip Type
M5	RFBM5	RFUM5
G1/8	RFB18	RFU18
G1/4	RFB14	RFU14
G3/8	RFB38	RFU38
G1/2	RFB12	RFU12



Za obširnejši seznam priključkov glej katalog "UNI-AIR Priključki"
For more available fittings please look at the catalogue "UNI-AIR Fittings"

HITRE SKLOPKE Tip KD / QUICK CONNECTORS Type KD

Spojka z zunanjim navojem / Quick connector with external thread



L	Tip Type	F	L	Tip Type	F	L	Tip Type	F	G
26	KD20M5a	10	/	/	/	/	/	/	M5
28	KD2018a	10	36	KD2118a	16	/	/	/	G1/8
/	/	/	38	KD2114a	16	43	KD2614a	27	G1/4
/	/	/	38	KD2138a	16	43	KD2638a	27	G3/8
/	/	/	/	/	/	46	Kd2612a	27	G1/2

HITRE SKLOPKE Tip KD / QUICK CONNECTORS Type KD

Spojka z notranjim navojem / Quick connector with internal thread




L	Tip Type	F	L	Tip Type	F	G
/	/	/	/	/	/	M5
36	KD2118i	16	/	/	/	G1/8
38	KD2114i	16	43	KD2614i	27	G1/4
38	KD2138i	16	43	KD2638i	27	G3/8
/	/	/	46	Kd2612i	27	G1/2

HITRE SKLOPKE Tip KD / QUICK CONNECTORS Type KD

Spojka z matico / Quick connector with nut



L	Tip Type	F	L	Tip Type	F	L	Tip Type	F	D
34	KD2043	10	/	/	/	/	/	/	4/3
34	KD2064	10	41	KD2164	16	/	/	/	6/4
/	/	/	41	KD2186	16	51	KD2686	27	8/6
/	/	/	/	/	/	56	KD26108	27	10/8
/	/	/	/	/	/	56	Kd26129	27	12/9

HITRE SKLOPKE Tip KS / QUICK CONNECTORS Type KS
Vtikač z zunanjim navojem / Male quick connector with external thread


G	L	Tip Type	L	Tip Type	L	Tip Type
M5	51	KS20M5a	/	/	/	/
G1/8	51	KS2018a	25	KS2118a	/	/
G1/4	/	/	28	KS2114a	33	KS2614a
G3/8	/	/	28	KS2138a	33	KS2638a
G1/2	/	/	/	/	38	Ks2612a

HITRE SKLOPKE Tip KS / QUICK CONNECTORS Type KS
Vtikač z notranjim navojem / Male quick connector with internal thread


G	L	Tip Type	L	Tip Type
M5	/	/	/	/
G1/8	25	KS2118i	/	/
G1/4	26	KS2114i	33	KS2614i
G3/8	27	KS2138i	33	KS2638i
G1/2	/	/	36	Ks2612i

HITRE SKLOPKE Tip KS / QUICK CONNECTORS Type KS
Vtikač z matico / Male quick connector with nut


D	L	Tip Type	L	Tip Type	L	Tip Type
4/3	25	KS2043	/	/	/	/
6/4	25	KS2064	32	KS2164	34	KS2664
8/6	25	/	32	KS2186	34	KS2686
10/8	/	/	/	/	42	KS26108
12/9	/	/	/	/	42	Ks26129



Za obširnejši seznam priključkov glej katalog "UNI-AIR Priključki"

For more available fittings please look at the catalogue "UNI-AIR Fittings"

CEVI / TUBES



Material / Material:

PA.....polyamid 12 LONGLIFE
PU.....polyuretan LONGLIFE
PVC.....PVC + tekstil v sredini /
+ textile in the middle

Barve / Colours:

STANDARD	OPCIJE / OPTIONS
transparent	rdeča / red
modra / blue	zelena / green
črna / black	rumena / yellow

Cev Tube mm	Delovni tlak (bar) pri C° Pressure at C°				Min. Radius mm	Tip Type
	20	40	60	80		
4/2,5	56	40	32	25	20	PA4/2,5
6/4	34	24	19	16	35	PA6/4
8/6	24	17	18,5	11	40	PA8/6
10/8	16	11,5	9	7,5	60	PA10/8
12/10	14	10	8	6	85	PA12/10
3/2	12	8,5	7	/	15	PU3/2
4/2,5	15	11	8	/	20	PU4/2,5
6/4	12	8,5	7	/	30	PU6/4
8/5,5	14	10	8	/	30	PU8/5,5
8/6	10	7,5	5,5	/	35	PU8/6
10/6,5	14	10	8	/	40	PU10/6,5
10/8	10	7,5	5,5	/	50	PU10/8
12/8	14	10	8	/	50	PU12/8
12/9	10	7,5	5,5	/	50	PU12/9
16/12	10	7,5	5,5	/	100	PU16/12
12/6	15	12	9	/	60	PVC12/6
15/9	14	11	8	/	70	PVC15/9
20/13	10	8	6	/	100	PVC20/13



Zgoraj so navedeni samo najbolj pogosti materiali in izvedbe cevi. Na voljo so tudi materiali in izvedbe:

Only the most common materials and versions are listed above. Other materials and versions are also available:

PA11.....DIN 74324	DEKABON.....plastificiran aluminij
PA12.....antistatic	plastic coated aluminum
PA12.....DIN 73378	NYLON
PA12.....samougasljive / selfextinguish	PE
PU.....duo, trio, quadro	PVDF
PU119095 ShoreA.....za vlažne prostore / for moistured places	PTFE
PU.....UV odporen / UV resistant	PVC



Material / Material:

PU.....polyuretan

Barva / Colour:

modra / blue

Opcija / Option:

KD+KS

Opremljeno s sklopko in vtikačem
ter z zaščitno vzmetjo.

Equipped with quick coupling and
plugs, protected with spring
guard.

Cev Tube mm	Notranji premer Inner diameter mm	Max. dolžina Max. lenght m	Tip Type
5,5/8	25	2,5	SPU5,5/2,5
5,5/8	25	5	SPU5,5/5
5,5/8	25	7,5	SPU5,5/7,5
5,5/8	25	10	SPU5,5/10
5,5/8	25	12,5	SPU5,5/12,5
6,5/10	40	2,5	SPU6,5/2,5
6,5/10	40	5	SPU6,5/5
6,5/10	40	7,5	SPU6,5/7,5
6,5/10	40	10	SPU6,5/10
6,5/10	40	12,5	SPU6,5/12,5
8/12	50	2,5	SPU8/2,5
8/12	50	5	SPU8/5
8/12	50	7,5	SPU8/7,5
8/12	50	10	SPU8/10
8/12	50	12,5	SPU8/12,5



Zgoraj je naveden samo najbolj pogost material in dimenzije cevi. Na voljo so tudi spodaj navedeni materiali v različnih dimenzijah:

Only the most common material and dimensions are listed above. Other materials listed below and various dimensions are also available.

PA.....polyamide
Nylon.....nylon



Za obširnejši seznam priključkov glej katalog "UNI-AIR Priključki"
For more available fittings please look at the catalogue "UNI-AIR Fittings"